

TDRS Space-to-Ground Link Weather Events

Stephen Horan
Klipsch School of Electrical and Computer Engineering
New Mexico State University
Las Cruces, NM 88003

shoran@nmsu.edu

June 1, 1996

1995 Comparison With White Sands Complex Data




Figure 1 - APT Location at the WSC.

Differences from 1994 WSC Data Collection to the 1995 Data Collection

1. 1995 collection only at the STGT (Danzante)
2. APT and TDRS SGL antennas are within about ½ mile - APT to 1994 collection antenna approximately 3 miles
3. WSC measurements based on the AGC voltage (millivolts) readings from the TDRS SGL antenna system and not a separate system as in the Raindance data reported for 1994
4. Data from TDRS East (TDE) and TDRS West (TDW) provided; no data from spare satellites




Figure 2- TDRS Constellation

313

Satellites			
Spacecraft	Apparent Azimuth Angle	Apparent Elevation Angle	Operating Frequency
TDRS East	103	12	13.7 GHz
TDRS West	257	11	13.7 GHz
ACTS	168	51	20/27 GHz






Figure 3 - Pointing Angles (Az, El) from data collection sites to the satellites.

01-Jul-95
TDRS East




01-Jul-95
TDRS West




FILE

DISPLAY


ZOOM





17-Jul-95

DRS East




319

17-Jul-95

→ RS west


320



FTI F

DISPLAY


ZOOM



FILE

DISPLAY

ZOOM



TDRS SGL Attenuation Measurements (January - August 1995)		
	Satellite	
Parameter	TDRS East	. TDRS West
Measured Peak Attenuation	44 dB	22 dB
Date	1-Jul-95	1-Jul-95
Minutes > 1 dB	212	181
Minutes > 3 dB	73	55
Minutes > 10 dB	5	4




Figure 5- Attenuation Ratios between ACTS and TDRS SGL